



Certification	ECB-S: WG IV, VdS: WG IV, VSÖ: EN 4
Insurance up to	private EUR 400.000 trade EUR 150.000 <small>The insurance sum doubles in case of a connection to an alarm system</small>
Hinge	right or left (models 1902 and 1904 2-winged)
Locks	DBZ = doublebit lock S&G adjustable + number combination lock La Gard 3 wheels
Colour	outside RAL 7035 light grey + RAL 7045 telegrey 1
Fixing	all models are prepared for floor fixing and for alarm connection (information to anchoring see page 3)
Note	safes from VdS WG IV must be equipped with at least 2 locks



DWS1000DBZ



DWS1600DBZ



DWS1901DBZ



Lock DBZ

Model	Outside dimensions h x w x d (mm)	Inside dimensions h x w x d (mm)	Lock	Shelves	Weight (appr. kg)	Volume (l)
DWS0850KBDBZ	848 x 810 x 725	695 x 660 x 480	DBZ	1	875	220
DWS1000KBDBZ	1003 x 810 x 725	850 x 660 x 480	DBZ	2	1030	270
DWS1200KBDBZ	1193 x 810 x 725	1040 x 660 x 480	DBZ	2	1150	330
DWS1600KBDBZ	1538 x 810 x 725	1385 x 660 x 480	DBZ	3	1405	440
DWS1901KBDBZ	1883 x 810 x 725	1730 x 660 x 480	DBZ	4	1680	550
DWS1903KBDBZ	1883 x 1110 x 725	1730 x 960 x 480	DBZ	4	2090	800
DWS1902KBDBZ	1883 x 1110 x 725	1730 x 960 x 480	DBZ	4	2130	800
DWS1904KBDBZ	1883 x 1415 x 725	1730 x 1265 x 480	DBZ	4	2550	1050

Please include to the shown outside depth 60 mm for mountings!


Options

additional shelf

inside locker, 360 mm high, 2-winged

More equipment and locking variants, special colours and other accessories on request.

Equipment variants – drawings with file folders





KB = core drill protection

Certification

ECB-S: WG IVKB, VdS: WG IVKB, VSÖ: EN 5

Insurance up to

private EUR by arrangement
trade EUR 250.000

The insurance sum doubles in case of a connection to an alarm system

Hinge

right or left (models 1902 and 1904 2-winged)

Locks

**DBZ = doublebit lock S&G adjustable +
 number combination lock La Gard 3 wheels**

Colour

outside RAL 7035 light grey + RAL 7045 telegrey 1

Fixing

**all models are prepared for floor fixing
 and for alarm connection** (information to anchoring see page 3)

Note

safes from VdS WG IV must be equipped with at least 2 locks



DWS1200KBDBZ



DWS1901KBDBZ



DWS1903KBDBZ



Lock DBZ

Model	Outside dimensions h x w x d (mm)	Inside dimensions h x w x d (mm)	Lock	Shelves	Weight (appr. kg)	Volume (l)
EWS0850DBZ	848 x 810 x 725	695 x 660 x 480	DBZ	1	935	220
EWS1000DBZ	1003 x 810 x 725	850 x 660 x 480	DBZ	2	1060	270
EWS1200DBZ	1193 x 810 x 725	1040 x 660 x 480	DBZ	2	1220	330
EWS1600DBZ	1538 x 810 x 725	1385 x 660 x 480	DBZ	3	1505	440
EWS1901DBZ	1883 x 810 x 725	1730 x 660 x 480	DBZ	4	1790	550
EWS1903DBZ	1883 x 1110 x 725	1730 x 960 x 480	DBZ	4	2230	800
EWS1902DBZ	1883 x 1110 x 725	1730 x 960 x 480	DBZ	4	2270	800
EWS1904DBZ	1883 x 1415 x 725	1730 x 1265 x 480	DBZ	4	2720	1050

Please include to the shown outside depth 60 mm for mountings!


Options

additional shelf

inside locker, 360 mm high, 2-winged

More equipment and locking variants, special colours and other accessories on request.

Equipment variants – drawings with file folders





Certification	ECB-S: WG V, VdS: WG V, VSÖ: EN 5
Insurance up to	private EUR by arrangement trade EUR 250.000 <small>The insurance sum doubles in case of a connection to an alarm system</small>
Hinge	right or left (models 1902 and 1904 2-winged)
Locks	DBZ = doublebit lock S&G adjustable + number combination lock La Gard 3 wheels
Colour	outside RAL 7035 light grey + RAL 7045 telegrey 1
Fixing	all models are prepared for floor fixing and for alarm connection (information to anchoring see page 3)
Note	safes from VdS WG IV must be equipped with at least 2 locks



EWS1600DBZ



EWS0850DBZ



EWS1904DBZ



Lock DBZ

Model	Outside dimensions h x w x d (mm)	Inside dimensions h x w x d (mm)	Lock	Shelves	Weight (appr. kg)	Volume (l)
EWS0850KBDBZ	848 x 810 x 725	695 x 660 x 480	DBZ	1	935	220
EWS1000KBDBZ	1003 x 810 x 725	850 x 660 x 480	DBZ	2	1060	270
EWS1200KBDBZ	1193 x 810 x 725	1040 x 660 x 480	DBZ	2	1220	330
EWS1600KBDBZ	1538 x 810 x 725	1385 x 660 x 480	DBZ	3	1505	440
EWS1901KBDBZ	1883 x 810 x 725	1730 x 660 x 480	DBZ	4	1790	550
EWS1903KBDBZ	1883 x 1110 x 725	1730 x 960 x 480	DBZ	4	2230	800
EWS1902KBDBZ	1883 x 1110 x 725	1730 x 960 x 480	DBZ	4	2270	800
EWS1904KBDBZ	1883 x 1415 x 725	1730 x 1265 x 480	DBZ	4	2720	1050

Please include to the shown outside depth 60 mm for mountings!


Options

additional shelf

inside locker, 360 mm high, 2-winged

More equipment and locking variants, special colours and other accessories on request.

Equipment variants – drawings with file folders





KB = core drill protection

Certification

ECB-S: WG VKB, VdS: WG VKB, VSÖ: EN 6

Insurance up to

private EUR by arrangement
trade EUR 375.000

The insurance sum doubles in case of a connection to an alarm system

Hinge

right or left (models 1902 and 1904 2-winged)

Locks

**DBZ = doublebit lock S&G adjustable +
 number combination lock La Gard 3 wheels**

Colour

outside RAL 7035 light grey + RAL 7045 telegrey 1

Fixing

**all models are prepared for floor fixing
 and for alarm connection** (information to anchoring see page 3)

Note

safes from VdS WG IV must be equipped with at least 2 locks



EWS1901KDBZ



EWS1000KDBZ



EWS1902KDBZ



Lock DBZ

Model	Outside dimensions h x w x d (mm)	Inside dimensions h x w x d (mm)	Lock	Shelves	Weight (appr. kg)	Volume (l)
CWP0651DBZ	648 x 850 x 754	488 x 514 x 590	DBZ	–	555	148
CWP0652DBZ	648 x 1308 x 754	488 x 820 x 590	DBZ	–	780	236
CWP0901DBZ	878 x 850 x 754	718 x 514 x 590	DBZ	–	680	217
CWP0902DBZ	878 x 1308 x 754	718 x 820 x 590	DBZ	–	945	347

Please include to the shown outside depth 20 mm for mountings!

Options

Drawer

Pull shelf

Cashier equipment (Inkiess 880 PL)

Electronic drawer control

More equipment and locking variants, special colours and other accessories on request.

Electronic drawer control

Desk safes, equipped with electronic controlled drawers, take today's requests of modern bank organisation into account. Different access entitlements to the safe facilities can be organized and changed any time in a very simple way.

The operation of the drawers as well as programming the opening codes is carried out via a keypad input unit with a 4-digit code on well readable display. The keypad input unit is built in flush into the pulpit tabletop.

Functions

- Unlocking a drawer by input of a 4-digit, programmable opening code
- Individual drawer opening delay
- Adjustable drawer activation time
- Attack alarm activation at a simultaneous drawer opening by input of an attack code



Certification	ECB-S: WG III, VdS: WG III, VSÖ: EN 3
Insurance up to	private EUR 200.000 trade EUR 100.000 <small>The insurance sum doubles in case of a connection to an alarm system</small>
Hinge	right (models 0652 and 0902 2-winged)
Locks	DBZ = doublebit lock Secu adjustable + number combination lock La Gard 3 wheels
Lackierung	inside and outside RAL 7035 light grey
Fixing	all models are prepared for floor fixing and for alarm connection (information to anchoring see page 3)
Note	the construction with the swing in doors is particularly suitable for the installation in standing or seat desks



CWP0651DBZ



CWP0901DBZ



CWP0902DBZ



Lock DBZ

