

Protecting valuables.

VdS grade III to V



The company founder, Franz Wertheim, recognized the need for the safe storage of valuable items and on September 1, 1852, founded a corporation in Vienna that would produce fireproof and burglar-resistant safes. Franz Wertheim was able to demonstrate the qualities of the safes through numerous live fire presentations. As an imperial and royal („k.u.k.“) court supplier, his company became well known throughout all of Europe and the Middle East for its quality products.

Since the time of Franz Wertheim, his company has grown from a fireproof and burglar-resistant safes company into an all-encompassing manufacturer of certified safety products. The products range from wall safes to heavy barrel vault doors.

The company's philosophy is centered on quality, technical innovation, and customer satisfaction.

Products

As a traditional Austrian enterprise, Wertheim guarantees the safety performance of its quality products. Through continuous technical innovation, Wertheim's products are at the leading edge in the use of current technologies.

Service

The Wertheim Service Hotline: +43 (0)1 / 604 91 66 - 300 is staffed at all times, including Sundays and Holidays. Wertheim provides immediate and competent responses to customer problems delivered by its best-trained service technicians.

Quality

All Wertheim companies are ISO 9001:2000 certified. The Company takes a full responsibility for the delivery of its products and services in accordance with specifications. Standardization of internal processes, ranging from product development through customer service, ensures that all products are of the same, highest quality.

Guarantee

Wertheim's products come with a two year guarantee (one year for electronic components).



SAFES

- Safes CWS 4
- Safes DWS 6
- Safes DWSKB..... 8
- Safes EWS.....10
- Safes EWSKB.....12

DESK SAFES

- Desk safes CWP 14

Type	Name	VdS grade ECB-S res.grade	Sec. class VSÖ-VVO	Private insurance up to	Commercial insurance up to
CWS	Safe	WG III	EN 3	EUR 200.000	EUR 100.000
DWS	Safe	WG IV	EN 4	EUR 400.000	EUR 150.000
DWSKB	Safe	WG IVKB	EN 5	EUR by arrangement	EUR 250.000
EWS	Safe	WG V	EN 5	EUR by arrangement	EUR 250.000
EWSKB	Safe	WG VKB	EN 6	EUR by arrangement	EUR 375.000
CWP	Desk safe	WG III	EN 3	EUR 200.000	EUR 100.000

The specified amounts apply to Germany and Austria
 The insurance amount doubles when safe is connected to an alarm system

VdS – VdS Schadenverhütung GmbH

All Wertheim safes were tested against mechanical and thermal burglary devices by the independent testing institute, VdS Schadenverhütung GmbH based in Cologne, Germany. All Wertheim products passed the high testing standards of the CEN Norm EN 1143-1 and were certified to the appropriate resistance levels. Wertheim safes can therefore be used and insured in nearly all European countries.

ECBS – European Certification Board · Security System

The ECBS label confirms the adherence of Wertheim products to European standards. ECBS certification is determined by testing in accordance with the European Norm EN 1143-1 for products protecting valuables against burglary.

VSÖ – Verband der Sicherheitsunternehmen Österreichs

All Wertheim safes are examined and certified by the VSÖ. All valuables in a Wertheim safe in Austria can be insured according to the VSÖ guidelines.

Anchoring

All safes weighing less than 1000 kg must be equipped with an option to install an anchoring device according to EN 1143-1. Wertheim equips all safes with a ground anchorage. Safes weighing less than 1000 kg are delivered with anchoring material.

Model	Outside dimensions h x w x d (mm)	Inside dimensions h x w x d (mm)	Lock	Shelves	Weight (appr. kg)	Volume (l)
CWS0850DB	848 x 810 x 725	695 x 660 x 480	DB	1	865	220
CWS0850EL	848 x 810 x 725	695 x 660 x 480	EL	1	865	220
CWS0850ZK	848 x 810 x 725	695 x 660 x 480	ZK	1	865	220
CWS1000DB	1003 x 810 x 725	850 x 660 x 480	DB	2	1010	270
CWS1000EL	1003 x 810 x 725	850 x 660 x 480	EL	2	1010	270
CWS1000ZK	1003 x 810 x 725	850 x 660 x 480	ZK	2	1010	270
CWS1200DB	1193 x 810 x 725	1040 x 660 x 480	DB	2	1110	330
CWS1200EL	1193 x 810 x 725	1040 x 660 x 480	EL	2	1110	330
CWS1200ZK	1193 x 810 x 725	1040 x 660 x 480	ZK	2	1110	330
CWS1600DB	1538 x 810 x 725	1385 x 660 x 480	DB	3	1365	440
CWS1600EL	1538 x 810 x 725	1385 x 660 x 480	EL	3	1365	440
CWS1600ZK	1538 x 810 x 725	1385 x 660 x 480	ZK	3	1365	440
CWS1901DB	1883 x 810 x 725	1730 x 660 x 480	DB	4	1640	550
CWS1901EL	1883 x 810 x 725	1730 x 660 x 480	EL	4	1640	550
CWS1901ZK	1883 x 810 x 725	1730 x 660 x 480	ZK	4	1640	550
CWS1903DB	1883 x 1110 x 725	1730 x 960 x 480	DB	4	2030	800
CWS1903EL	1883 x 1110 x 725	1730 x 960 x 480	EL	4	2030	800
CWS1903ZK	1883 x 1110 x 725	1730 x 960 x 480	ZK	4	2030	800
CWS1902DB	1883 x 1110 x 725	1730 x 960 x 480	DB	4	2070	800
CWS1902EL	1883 x 1110 x 725	1730 x 960 x 480	EL	4	2070	800
CWS1902ZK	1883 x 1110 x 725	1730 x 960 x 480	ZK	4	2070	800
CWS1904DB	1883 x 1415 x 725	1730 x 1265 x 480	DB	4	2480	1050
CWS1904EL	1883 x 1415 x 725	1730 x 1265 x 480	EL	4	2480	1050
CWS1904ZK	1883 x 1415 x 725	1730 x 1265 x 480	ZK	4	2480	1050

Please add 60 mm to the listed outside depth for mountings!


Options

additional shelf

inside locker, 360 mm high, 2-winged

More equipment and lock options, special colours and other accessories are available upon request.

Equipment options – drawings with file folders DIN A4





- Certification** ECB-S: WG III, VdS: WG III, VSÖ: EN 3
- Insurance up to** Private EUR 200.000
Commercial EUR 100.000
The insurance amount doubles when safe is connected to an alarm system
- Hinge** Right or left (models 1902 and 1904 2-winged)
- Locks** DB = Double-bit lock S&G adjustable with insert key (2 bits)
EL = Electronic lock La Gard Combogard 33E
ZK = Number combination lock La Gard 3 rotating wheels
- Colour** Outside RAL 7035 light grey + RAL 7045 telegrey1
- Anchoring** All models are outfitted for floor anchoring
and alarm connection (for information about anchoring see page 3)




CWS0850DB



CWS1200EL



CWS1904ZK



DB Lock



ZK Lock



EL Lock



EL Lock (alternative)



EL Lock (alternative)

Model	Outside dimensions h x w x d (mm)	Inside dimensions h x w x d (mm)	Lock	Shelves	Weight (appr. kg)	Volume (l)
DWS0850DBZ	848 x 810 x 725	695 x 660 x 480	DBZ	1	875	220
DWS1000DBZ	1003 x 810 x 725	850 x 660 x 480	DBZ	2	1030	270
DWS1200DBZ	1193 x 810 x 725	1040 x 660 x 480	DBZ	2	1150	330
DWS1600DBZ	1538 x 810 x 725	1385 x 660 x 480	DBZ	3	1405	440
DWS1901DBZ	1883 x 810 x 725	1730 x 660 x 480	DBZ	4	1680	550
DWS1903DBZ	1883 x 1110 x 725	1730 x 960 x 480	DBZ	4	2090	800
DWS1902DBZ	1883 x 1110 x 725	1730 x 960 x 480	DBZ	4	2130	800
DWS1904DBZ	1883 x 1415 x 725	1730 x 1265 x 480	DBZ	4	2550	1050

Please add 60 mm to the listed outside depth for mountings!

Options

additional shelf

inside locker, 360 mm high, 2-winged

More equipment and lock options, special colours and other accessories are available upon request.

Equipment options – drawings with file folders DIN A4





Certification	ECB-S: WG IV, VdS: WG IV, VSÖ: EN 4
Insurance up to	Private EUR 400.000 Commercial EUR 150.000 <small>The insurance amount doubles when safe is connected to an alarm system</small>
Hinge	Right or left (models 1902 and 1904 2-winged)
Locks	DBZ = Double-bit lock S&G adjustable + Number combination lock La Gard 3 rotating wheels
Colour	Outside RAL 7035 light grey + RAL 7045 telegrey 1
Anchoring	All models are outfitted for floor anchoring and alarm connection (for information about anchoring see page 3)
Note	Safes from VdS WG IV must be equipped with at least 2 locks



DWS1000DBZ



DWS1600DBZ



DWS1901DBZ



DBZ Lock



EL Lock (alternative)



EL Lock (alternative)

Model	Outside dimensions		Inside dimensions		Lock	Shelves	Weight (appr. kg)	Volume (l)
	h x w x d (mm)		h x w x d (mm)					
DWS0850KBDBZ	848 x	810 x 725	695 x	660 x 480	DBZ	1	875	220
DWS1000KBDBZ	1003 x	810 x 725	850 x	660 x 480	DBZ	2	1030	270
DWS1200KBDBZ	1193 x	810 x 725	1040 x	660 x 480	DBZ	2	1150	330
DWS1600KBDBZ	1538 x	810 x 725	1385 x	660 x 480	DBZ	3	1405	440
DWS1901KBDBZ	1883 x	810 x 725	1730 x	660 x 480	DBZ	4	1680	550
DWS1903KBDBZ	1883 x	1110 x 725	1730 x	960 x 480	DBZ	4	2090	800
DWS1902KBDBZ	1883 x	1110 x 725	1730 x	960 x 480	DBZ	4	2130	800
DWS1904KBDBZ	1883 x	1415 x 725	1730 x	1265 x 480	DBZ	4	2550	1050

Please add 60 mm to the listed outside depth for mountings!


Options

additional shelf

inside locker, 360 mm high, 2-winged

More equipment and lock options, special colours and other accessories are available upon request.

Equipment options – drawings with file folders DIN A4





KB = core drill protection

Certification

ECB-S: WG IVKB, VdS: WG IVKB, VSÖ: EN 5

Insurance up to

Private EUR by arrangement
Commercial EUR 250.000

The insurance amount doubles when safe is connected to an alarm system

Hinge

Right or left (models 1902 and 1904 2-winged)

Locks

DBZ = Double-bit lock S&G adjustable +
Number combination lock La Gard 3 rotating wheels

Colour

Outside RAL 7035 light grey + RAL 7045 telegrey 1

Anchoring

All models are outfitted for floor anchoring
and alarm connection (for information about anchoring see page 3)

Note

Safes from VdS WG IV must be equipped with at least 2 locks



DWS1200KBDBZ



DWS1901KBDBZ



DWS1903KBDBZ



DBZ Lock



EL Lock (alternative)



EL Lock (alternative)

Model	Outside dimensions h x w x d (mm)	Inside dimensions h x w x d (mm)	Lock	Shelves	Weight (appr. kg)	Volume (l)
EWS0850DBZ	848 x 810 x 725	695 x 660 x 480	DBZ	1	935	220
EWS1000DBZ	1003 x 810 x 725	850 x 660 x 480	DBZ	2	1060	270
EWS1200DBZ	1193 x 810 x 725	1040 x 660 x 480	DBZ	2	1220	330
EWS1600DBZ	1538 x 810 x 725	1385 x 660 x 480	DBZ	3	1505	440
EWS1901DBZ	1883 x 810 x 725	1730 x 660 x 480	DBZ	4	1790	550
EWS1903DBZ	1883 x 1110 x 725	1730 x 960 x 480	DBZ	4	2230	800
EWS1902DBZ	1883 x 1110 x 725	1730 x 960 x 480	DBZ	4	2270	800
EWS1904DBZ	1883 x 1415 x 725	1730 x 1265 x 480	DBZ	4	2720	1050

Please add 60 mm to the listed outside depth for mountings!


Options

additional shelf

inside locker, 360 mm high, 2-winged

More equipment and lock options, special colours and other accessories are available upon request.

Equipment options – drawings with file folders DIN A4





Certification	ECB-S: WG V, VdS: WG V, VSÖ: EN 5
Insurance up to	Private EUR by arrangement Commercial EUR 250.000 <small>The insurance amount doubles when safe is connected to an alarm system</small>
Hinge	Right or left (models 1902 and 1904 2-winged)
Locks	DBZ = Double-bit lock S&G adjustable + Number combination lock La Gard 3 rotating wheels
Colour	Outside RAL 7035 light grey + RAL 7045 telegrey 1
Anchoring	All models are outfitted for floor anchoring and alarm connection (for information about anchoring see page 3)
Note	Safes from VdS WG IV must be equipped with at least 2 locks



EWS1600DBZ



EWS0850DBZ



EWS1904DBZ



DBZ Lock



EL Lock (alternative)



EL Lock (alternative)

Model	Outside dimensions h x w x d (mm)	Inside dimensions h x w x d (mm)	Lock	Shelves	Weight (appr. kg)	Volume (l)
EWS0850KBDBZ	848 x 810 x 725	695 x 660 x 480	DBZ	1	935	220
EWS1000KBDBZ	1003 x 810 x 725	850 x 660 x 480	DBZ	2	1060	270
EWS1200KBDBZ	1193 x 810 x 725	1040 x 660 x 480	DBZ	2	1220	330
EWS1600KBDBZ	1538 x 810 x 725	1385 x 660 x 480	DBZ	3	1505	440
EWS1901KBDBZ	1883 x 810 x 725	1730 x 660 x 480	DBZ	4	1790	550
EWS1903KBDBZ	1883 x 1110 x 725	1730 x 960 x 480	DBZ	4	2230	800
EWS1902KBDBZ	1883 x 1110 x 725	1730 x 960 x 480	DBZ	4	2270	800
EWS1904KBDBZ	1883 x 1415 x 725	1730 x 1265 x 480	DBZ	4	2720	1050

Please add 60 mm to the listed outside depth for mountings!

Options

additional shelf

inside locker, 360 mm high, 2-winged

More equipment and lock options, special colours and other accessories are available upon request.

Equipment options – drawings with file folders DIN A4





KB = core drill protection

Certification	ECB-S: WG VKB, VdS: WG VKB, VSÖ: EN 6
Insurance up to	Private EUR by arrangement Commercial EUR 375.000 <small>The insurance amount doubles when safe is connected to an alarm system</small>
Hinge	Right or left (models 1902 and 1904 2-winged)
Locks	DBZ = Double-bit lock S&G adjustable + Number combination lock La Gard 3 rotating wheels
Colour	Outside RAL 7035 light grey + RAL 7045 telegrey 1
Anchoring	All models are outfitted for floor anchoring and alarm connection (for information about anchoring see page 3)
Note	Safes from VdS WG IV must be equipped with at least 2 locks



EWS1901KDBZ



EWS1000KDBZ



EWS1902KDBZ



DBZ Lock



EL Lock (alternative)



EL Lock (alternative)

Model	Outside dimensions h x w x d (mm)	Inside dimensions h x w x d (mm)	Lock	Shelves	Weight (appr. kg)	Volume (l)
CWP0651DBZ	648 x 850 x 754	488 x 514 x 590	DBZ	–	555	148
CWP0652DBZ	648 x 1308 x 754	488 x 820 x 590	DBZ	–	780	236
CWP0901DBZ	878 x 850 x 754	718 x 514 x 590	DBZ	–	680	217
CWP0902DBZ	878 x 1308 x 754	718 x 820 x 590	DBZ	–	945	347

Please add 20 mm to the listed outside depth for mountings!

Options

Drawer

Pull shelf

Cashier equipment (Inkiess 880 PL)

Electronic drawer control

More equipment and lock options, special colours and other accessories are available upon request.

Electronic drawer control

Desk safes, equipped with electronic controlled drawers, take today's requests of modern bank organisation into account. Different access entitlements to the safe facilities can be organized and changed any time in a very simple way.

The operation of the drawers as well as programming the opening codes is possible via keypad input unit with a 4-digit code on well readable display. The keypad input unit is built in flush into the pulpit tabletop.

Functions

- Unlocking a drawer by input of a 4-digit, programmable opening code
- Individual drawer opening delay
- Adjustable drawer activation time
- Attack alarm activation at a simultaneous drawer opening by input of an attack code



Keypad input unit for electronic drawer control



Drawer



Pull shelf



Certification	ECB-S: WG III, VdS: WG III, VSÖ: EN 3
Insurance up to	Private EUR 200.000 Commercial EUR 100.000 <small>The insurance amount doubles when safe is connected to an alarm system</small>
Hinge	Right (models 0652 and 0902 2-winged)
Locks	DBZ = Double-bit lock Secu adjustable + Number combination lock La Gard 3 rotating wheels
Colour	Inside and outside RAL 7035 light grey
Anchoring	All models are outfitted for floor anchoring and alarm connection (for information about anchoring see page 3)
Note	The construction with the swing in doors is particularly suitable for the installation in standing or seat desks



CWP0651DBZ



CWP0901DBZ



CWP0902DBZ



DBZ Lock

EL Lock (alternative)

EL Lock (alternative)

