

Protecting valuables against fire.

Fire resistant products

fire resistant



Wertheim's fire resistant security products are world leaders in performance, quality and engineering. They will protect your valuable data and documents from fire damage.

Quality classes

Category	Quality class	Test period
Fire resistant cabinets	according to DIN 4102	doublewall with high-class fire protection insulation
Fire resistant data safes	S 120 DIS	120 minutes
Fire resistant document safes	60 P / 120 P	60 / 120 minutes
Fire resistant file cabinets	S 60 P	60 minutes



- Fire resistance** **Fire protection according to DIN 4102** (doublewall with high class fire protection insulation)
- Hinge** **Two-winged**
- Lock** **DB = Double-bit lock with 2 keys**
- Colour** **Inside and outside RAL 7035 light grey**

L90D



Model	Outside dimensions h x w x d (mm)	Inside dimensions h x w x d (mm)	Lock	Shelves	Weight (appr. kg)	Volume (l)
L90D	1950 x 930 x 520	1785 x 830 x 400	DB	4	180	592

Please add 60 mm to the listed outside depth for mountings!



- Fire resistance** **Fire protection according to S 120 DIS** (Euronorm EN 1047-01)
- Hinge** **Right** (model DS4090DZ – drawer cabinet)
- Locks** **DZ = Cylinder lock with 2 keys**
 DB = Double-bit lock with 2 keys
- Colour** **Inside and outside RAL 9002 grey white**
- Equipment** **Pullout shelf – each with 3 separating bars and 10 stilts**
 Model DS4090DZ with 10 stilts



DS4200DB



DS4090DZ



DS4300DB

Model	Outside dimensions h x w x d (mm)	Inside dimensions h x w x d (mm)	Lock	Shelves	Weight (appr. kg)	Volume (l)
DS4090DZ	585 x 570 x 770	235 x 250 x 450	DZ	–	155	26
DS4200DB	965 x 745 x 720	560 x 465 x 420	DB	2	280	109
DS4300DB	1155 x 745 x 720	750 x 465 x 420	DB	3	330	146
DS4400DB	1535 x 745 x 720	1130 x 465 x 420	DB	4	450	221

Please add 60 mm to the listed outside depth for mountings!



- Fire resistance** **Fire protection according to 60 P –model PK405DB**
Fire protection according to 120 P –models PK410DB to PK480DB
- Hinge** **Right** (model PK480DB two-winged)
- Lock** **DB = Double-bit lock with 2 keys** (electronic lock on request)
- Colour** **Inside and outside RAL 7035 light grey**



PK405DB



PK430DB



PK480DB

Model	Outside dimensions h x w x d (mm)	Inside dimensions h x w x d (mm)	Lock	Shelves	Weight (appr. kg)	Volume (l)
PK405DB	520 x 405 x 440	410 x 300 x 300	DB	1	55	36
PK410DB	680 x 670 x 580	493 x 486 x 364	DB	1	150	87
PK420DB	1030 x 670 x 580	843 x 486 x 364	DB	2	205	149
PK430DB	1380 x 670 x 580	1193 x 486 x 364	DB	3	260	211
PK440DB	1730 x 670 x 580	1543 x 486 x 364	DB	4	315	273
PK480DB	1730 x 1160 x 580	1543 x 972 x 364	DB	4	495	546

Please add 60 mm to the listed outside depth for mountings!



Fire resistance	Fire protection according to S 60 P (according to VDMA 24991)
Lock	ZS = Central key lock with 2 keys
Colour	Inside and outside RAL 7035 light grey
Equipment	Standard preparation for hanging files DIN A4 or folio



FK42157UF

Model	Outside dimensions h x w x d (mm)	Inside dimensions h x w x d (mm)	Lock	Shelves	Weight (appr. kg)	Volume (l)
FK42157UF	1448 x 539 x 802	299 x 387 x 660	ZS	–	345	305

Please add 5 mm to the listed outside depth for mountings!



Fire resistance Protection from temperatures up to 840°C for 30 minutes
Lock ZY = Cylinder lock with 2 keys
Colour Dark grey (model H2040D light grey)



H2040D



H2011



H2037

H2011 suitable for A5-documents
 H2017 suitable for A4-documents
 H2037 suitable for A4-documents, equipped with 8 hanging files
 H2040D suitable for CD-ROMs and magnetic tapes

Model	Outside dimensions h x w x d (mm)	Inside dimensions h x w x d (mm)	Lock	Shelves	Weight (appr. kg)	Volume (l)
H2011	155 x 354 x 283	94 x 288 x 180	ZY	–	7	5
H2017	155 x 406 x 324	90 x 336 x 218	ZY	–	9	5
H2037	330 x 410 x 324	260 x 309 x 218	ZY	–	17	17
H2040D	330 x 410 x 324	146 x 212 x 127	ZY	–	30	4


